



Future-proof technology at your fingertips.

At last! A printing system that doesn't stress everyone out. Things have changed. Our new multifunction product (MFP) is the intelligent device you've always wanted to scan, copy, and print your A4 documents. No more frustration with an out-of-date contraption, slamming any part of the machine that moves. This colour MFP has a smart touch-screen control panel and is always running the latest technology.

Putting up with old equipment until your contract finally ends is out. Software that automatically updates is in, along with the ability to add additional functionality that your business may need in future. Your MFP is always ready to operate. You can print, copy and scan more materials, faster and remotely from wherever you are - just plug in this intelligent device and let it run. You'll be glad to know our A4 and A3 MFP models work in exactly the same way too.

The A4 MFP generates 30-43 pages per minute, and multiple paper trays mean you can handle any kind of print job. Plus the trays hold more paper than ever before, so you spend less time refilling them. You won't need to budget for extra services or equipment either. Select a model that staples and/or faxes and you'll have every function you need, built into one smart device.

It's the 2020s, and you're right to demand an MFP that can keep up with your dynamic digital workplace.

Scalable document handling options that grow with your business

Modern devices all interact with one another. Why should your MFP be any different? With Gestetner, you can scan documents to a folder on your network but also add third party apps and cloud services. You decide which features your device does and doesn't have. You'll only see options for the services you use, so you can get to them quickly and without any fuss.





Secure handling of your documents and data

For complete security across your network, your MFP runs Gestetner's own operating system. This gives you complete control over who sees and doesn't see the documents you process. Your MFP can overwrite your data at the end of every print run, so no sensitive information is ever leaked. And you decide who has access to every document, restricting access to select information.



Sustainable design to take you far into the future

Gestetner MFPs are extremely energy efficient. It's as important to us as it is to you, that any device we develop leaves a small carbon footprint on the environment. As many parts of our machines as possible are made from recyclable materials, so you can be eco-friendly, but keep your internal costs down at the same time.



Simple systems to make your working life easier

All our devices operate like one machine because the control panels and technology are exactly the same. You won't waste time figuring out how to scan or print every time you use another machine. Our 10.1" tilting touch-screen is as intuitive to use as your smartphone, so cryptic control panel messages are now a thing of the past. Add your company logo, personalise your device for different team members, and use it to watch how-to videos, or get help online.

Gestetner's range of intelligent MFPs works as a fleet, which means you can access all of them at once to keep the whole network running. Any operational issues can easily be fixed remotely too, so your machine is never down for long, allowing you to focus on more important things, while your MFP runs effortlessly in the background – like every other smart device you use to grow your business.





IM C300 / IM C300F / IM C400F / IM C400SRF product

configuration chart

IM C300 IM C300F

10.1" Smart Operation Panel 50-sheet SPDF 250-sheet input tray 100-sheet bypass tray 100-sheet output tray Dimensions: 498 x 561 x 510 mm Weight: 47 kg or less

Mainframe

IM C400F



10.1" Smart Operation Panel 50-sheet SPDF 50-sheet input tray 100-sheet bypass tray 100-sheet output tray Dimensions: 498 x 561 x 590 mm Weight: 50 kg or less

IM C400SRF



10.1" Smart Operation Panel 50-sheet SPDF 550-sheet input tray 100-sheet bypass tray Internal finisher (250-sheet output/ 50-sheet stapling) Dimensions: 615 x 561 x 706 mm Weight: 60 kg or less

1-Bin Tray Type BN1040

Capacity: 100 sheets Dimensions: 554 x 482 x 138.5 mm Weight: 3 kg or less Not available with the IM C400SRF

Fax Option Type M41

Only available with the IM C300

NFC Card Reader Type M13

Low Cabinet 71

Dimensions: 498 x 532 x 232 mm Weight: 14 kg



Medium Cabinet 72

Dimensions: 498 x 532 x 380 mm

High Cabinet 73

Dimensions: 498 x 532 x 528 mm

Weight: 20 kg Not available with the IM C400SRF

Weight: 17 kg

Paper Feed Unit PB1170

Capacity: 550 sheets
Dimensions: 498 x 552 x 150 mm
Weight: 10.7 kg or less
Max 2 optional paper feed units can
be installed without a caster table Max 3 optional paper feed units can be installed with a caster table





Caster Table 70

Dimensions: 498 x 532 x 84 mm

Other options

- Other options

 Data Overwrite Security Unit Type M19
 Device Server Option Type M37
 Enhanced Security HDD Option Type M10
 File Format Converter Type M19
 FIEEE 1284 Interface Board Type M19
 FIEEE 1820.11a/g/n Interface Unit Type M19
 OCR Unit Type M13
 Optional Counter Interface Unit Type M12
 Page Keeper Type M28
 PostScript3 Unit Type M41
 Unicode Font Package for SAP(R) 1 Licence
 VM Card Type M37

Dimensions are stated in width x depth x height (W x D x H)





IM C300 / IM C300F / IM C400F / IM C400SRF

MAIN SPECIFICATIONS

One-bin tray

GENERAL	IM C300	IM C300F	IM C400F	IM C400SRF
Varm-up time	19 seconds	19 seconds	17 seconds	17 seconds
First output speed: B/W	7.2 seconds	7.2 seconds	6.2 seconds	6.7 seconds
irst output speed: full colour	8.6 seconds	8.6 seconds	7.4 seconds	7.9 seconds
Continuous output speed	30 ppm	30 ppm	43 ppm	43 ppm
Memory: maximum	2 GB			
IDD: maximum	320 GB			
Veight	47 kg	47 kg	50 kg	60 kg
Dimensions: W x D x H	498 x 561 x 510 mm	498 x 561 x 510 mm	498 x 561 x 590 mm	615 x 561 x 706 mm
Power source		220 - 240 V,	50 - 60 Hz	
COPIER				
Multiple copying Resolution	Up to 999 copies 600 dpi			
Zoom		From 25% to 400% in 1% steps		
	1.011.2070 to 10070 ii 170 diepo			
PRINTER				
Printer language: standard		PCL		
	PCL6 PostScript 3 (emulation)			
	PostScript 3 (emulation) PDF direct (emulation)			
	Genuine Adobe® PostScript®3™			
Printer language: option	PDF Direct from Adobe®			
Print recolution: mavim:	1,200 x 1,200/1 bit			
Print resolution: maximum				
Network interface: standard Network interface: option	Ethernet 10 base-T/100 base-TX/1000 base-T USB Host I/F Type A			
	USB Device VF Type B			
	Bi-directional IEEE 1284			
votevore interrace. OptiON	Bi-directional IEEE 1284 Wireless LAN (IEEE 802.11a/b(g/n)			
Mobile printing capability	Apple AirPrint			
Mobile printing capability	Apple AirPrint Mopria®			
	морпลเ⊌ Google Cloud Print			
	NFC			
		Ricoh Smart De	vice Connector	
Network protocol	TCP/IP (IP v4, IP v6)			
Windows® environments	Wir	ndows® Vista/7/8/8.1/10, Windows®	9 Server 2008/2008R2/2012/201	2R2
		Windows® S		
		Windows® S		
Vac OS environments		Macintosh OS X Na		
UNIX environments		UNIX Sun		
		HP-		
		SCO Ope RedHat® Linu		
		IBM®	•	
SAP® environments		SAP®		
	SAP® S/4®			
SCANNER				
Scanning speed: SPDF	40 ipm (simplex)/80 ipm (duplex)			
Resolution: maximum	600 dpi			
Scan modes	SD Card, URL, FTP, E-mail, Folder, USB			
FAX (IM C300F, IM C400F, IM C400	uskr)	DOTAL DOV	DOTAL DOV	DOTAL DOV
Circuit Compatibility	-	PSTN, PBX ITU-T (CCITT) G3	PSTN, PBX ITU-T (CCITT) G3	PSTN, PBX ITU-T (CCITT) G3
Fransmission speed	-	2 seconds	2 seconds	2 seconds
Modem speed: maximum	-	33.6 Kbps	33.6 Kbps	33.6 Kbps
Scanning speed	-	80 spm	80 spm	80 spm
PAPER HANDLING				
Recommended paper size		A4, A	5 B5	
	250 sheets	250 sheets	550 sheets	550 sheets
Paper input: standard Paper input: bypass	200 SHEERS	250 sneets 100 sh		JJU SHEEKS
Paper input: bypass	2,000 sheets	2,000 sheets	2,300 sheets	2,300 sheets
Paper output: maximum	200 sheets	2,000 sheets	200 sheets	250 sheets
Paper weight		ys: (60 - 163 g/m²), Bypass: (60		
Paper types	Plain paper, Recycle paper, Special paper, Color paper, Letterhead, Cardstock, Preprinted paper, Bond paper, Coated paper, Color paper, Letterhead, Cardstock, Preprinted paper, Bond paper, Coated pa			
ECOLOGY		Emolopo, Label papel, OFF, Bald	сорнов рарен, учасегриот раре	A
	Loop than 4 200 M	Long than 4 900 M	Loop them 4.050 M/	Locathar 4 050 tal
Power consumption: max. Power consumption: ready	Less than 1,200 W 50.6 W	Less than 1,200 W 50.6 W	Less than 1,350 W 60.7 W	Less than 1,350 W 60.7 W
FeC*	0.34 kWh/week	0.34 kWh/week	0.48 kWh/week	0.5 kWh/week
It is a reference value based on	O.O. RVVI/WCCR	O.O-FINVVI)VVCCIN	OO KVVI)WCCK	O.S RVVI)WEEK
he ENERGY STAR Ver.3.0 test method.				
OUTPUT TRAYS AND FINISHER	OPTIONS			
x 550-sheet paper tray		Paper size: (A4, A5, B5), Pa	aper weight: (60-163 g/m²)	
One-bin trav	Troy oon	acity: (100 sheets). Paper size: (A4 A5 B5) Paper weight: (60-	163 g/m²)

Tray capacity: (100 sheets), Paper size: (A4, A5, B5), Paper weight: (60-163 g/m²)

IM C300 / IM C300F / IM C400F / IM C400SRF

MAIN SPECIFICATIONS

IM C300 IM C300F IM C400F IM C400SRF

OTHER OPTIONS

Fax unit, Cabinet, High cabinet, Low cabinet, Caster table, VM card, PostScript 3, Bi-directional IEEE 1284, IEEE 802.11 a/g/n, Device server unit, File format converter, OCR unit, Enhanced security HDD, Data overwrite security unit, Page keeper, Counter I/F unit, NFC card reader, Paperlock

Adobe PostScript 3





Toner (black) Toner: cyan/magenta/yellow Consumable yield based on 2p/j 5% coverage on A4 17,000 prints 6,000 prints 17,000 prints 6,000 prints 17,500 prints 8,000 prints 17,500 prints 8,000 prints

















Ricoh International B.V.

Prof. W.H. Keesomlaan 1 1183 DJ Amstelveen The Netherlands



+31 (0)20 5474111



