

Brilliant everyday colour

Colour printing has never been so easy and so affordable. Compact, seamlessly connected and effortlessly productive, these desktop devices put colour within easy reach.

Impressive quality and performance

- Vibrant colour output
- Fast 25 ppm throughput
- Easy wireless connection
- Space-saving design

Perfect for small offices with demanding print requirements, they will save space without compromising on quality or performance. To keep pace with demand, vibrant colour and black and white output is delivered at 25 pages per minute. And, with Near Field Communication (NFC) making connection as easy as tap and go, brilliant everyday colour really is within everyone's reach.

Intuitive touchscreen operation

- Printer and/or 4-in-1 MFP
- Colour touchscreen panel
- Fast, single-pass scanner
- Optional 2nd paper tray



Making it easy for you to select the right technology, Ricoh offers single and multi-function versions of the same print engine. The 4-in-1 M C250FWB combines print, copy, scan and fax functionality. Its colour touchscreen panel simplifies operation and, using the Single Pass Document Feeder (SPDF), double-sided originals can be scanned simply in a single pass. The optional second paper tray increases capacity and allows different paper sizes and types to be held inline ready for use.

Easy mobile and WiFi interaction

- Reliable print technology
- Windows, Mac and Linux
- AirPrint, Mopria and GCP
- Near Field Communication

No matter what your print environment, P C300W and M C250FWB will fit the bill. They support Windows, Mac and Linux, and with AirPrint, Mopria and Google Cloud Print standard features, it is simple to print from and scan to smartphones and tablets. Indeed, with WiFi Direct and Near Field Communication built in, joining a network is as easy as tap and go. Reliably meeting demanding workgroup requirements, these compact and affordable solutions transform everyday document processes.



RICOH M C250FWB/ RICOH P C300W

MAIN SPECIFICATIONS

SENERAL	RICOH M C250FWB	RICOH P C300W
GENERAL		
Configuration		sktop
echnology		aser
Varm-up time		econds
irst output speed: B/W	9.4 seconds	
irst output speed: full colour	9.8 seconds	
Continuous output speed	25 ppm	
Memory: standard		6 MB
lemory: maximum		6 MB
SPDF capacity	50 sheets	-
Outy cycle		,000
Ouplex		es of the
Veight Dimensions: W x D x H	30 kg 420 x 493 x 473 mm	25 kg 400 x 450 x 334 mm
Power source		V, 50 - 60 Hz
ACRIER (RICCULA COTOFIA)		
COPIER (RICOH M C250FWB)		
Nultiple copying	Up to 99 copies	-
oom	From 25% to 400% in 1% steps	-
card copy	Yes	-
RINTER		
rinting process	Laser heam scanning, el	ectro-photographic printing
rinter language: standard	Laser beam scanning, electro-photographic printing PCL5c	
		CL6
		ript® 3™
Print resolution	Maximum: 2,400 x 600 dpi	
ont	Standard: PCL (80 fonts), PS3 (80 fonts)	
letwork interface: standard		se-T/100 base-TX
	Wireless LAN (IEE	EE 802.11 a/b/g/n/ac)
		B 2.0
Nobile printing capability		AirPrint
		pria®
Windows on iron anta	Google Cloud Print Windows® 7	
Vindows® environments		ows® 7 ws® 8.1
		ws® 6.1 ows® 10
		Server 2008
		Server 2008R2
	Windows®	Server 2012
		Server 2012R2
		Server 2016
Mac OS environments	Macintosh OS X v10.10 - v10.13	
Other supported environments	Linux en	vironment
CANNER (RICOH M C250FWB)		
Scanning: B/W	21 ipm	-
Scanning: full colour	12 ipm	-
Resolution: maximum	19,200 dpi	-
Resolution: standard	600 dpi	-
Bundled drivers	Network TWAIN	-
Scan modes	-	-
AX (RICOH M C250FWB)		
ircuit	PSTN,PBX	_
compatibility	ITU-T(T.37) Internet-Fax	-
ransmission speed	3 seconds	-
lodem speed: maximum	33.6 Kbps	-
atemet fax	Standard	-
AN fax	Standard	-
APER HANDLING		
Recommended paper size		44
	,	A5
		A6
	B5	
aper input: standard	250 sheets	
aper input: bypass	1 sheets	
aper input: maximum	751 sheets	
aper output: standard	150 sheets	
aper weight	Trays: 60 - 163 g/m²	
		s): 60 - 105 g/m²
		0 - 163 g/m²
	Duplex: 6	60 - 90 g/m²
COLOGY		
	Lace tha	n 1 300 W
Power consumption: max.		n 1,300 W 0.3 kWh/week
	Less tha 0.31 kWh/week	n 1,300 W 0.3 kWh/week

RICOH M C250FWB/ RICOH P C300W

MAIN SPECIFICATIONS

method ISO/IEC 19798

	RICOH M C250FWB	RICOH P C300W
OUTPUT TRAYS AND FINISHER OPTIONS		
1x 500-sheet paper tray		
CONSUMABLES		
Starter toner	Black: 1,000 prints	
	Cyan: 1	1,000 prints
	Magenta: 1,000 prints	
	Yellow: 1,000 prints	
Toner (black)	2,300 prints	
Toner (cyan)	2,300 prints	
Toner (magenta)	2,300 prints	
Toner (yellow)	2,300 prints	
Consumable yield measuring		











Ricoh International B.V.

Prof. W.H. Keesomlaan 1 1183 DJ Amstelveen The Netherlands



+31 (0)20 5474111



