

Vibrant business colour

Adding impact to your everyday print communication, these desktop devices put vibrant and productive colour printing within easy and affordable reach.

Class-leading functionality

- Vibrant colour output
- 25 ppm productivity
- Print from any device
- Low running costs
- Best in class security including SNMPv3-encrypted communications for device monitoring

Combining class-leading functionality with low total costs of ownership, these compact A4 devices are made for business. Keeping pace with demand, they deliver immaculate double-sided colour and black and white output at a productive 25 pages per minute. And, with WiFi Direct making it easy to connect, these productive desktop printers can be shared by multiple users.

Productive time-saving features

- Printer and/or 4-in-1 MFP
- Colour touchscreen panel
- Fast, single-pass scanner
- Optional 2nd paper tray



To simplify your print environment, Ricoh offers single and multi-function versions of the same advanced print engine. The M C251FW is a compact fax-enabled <nonbreaking>4 w 1</nonbreaking>. Its large colour touchscreen panel simplifies operation and, to save time, the integral Single Pass Document Feeder (SPDF) quickly scans double-sided originals in a single pass. The addition of an optional second paper tray expands capacity and enables different sizes and types of paper to be held online, ready for use

Easy installation and support

- Windows, Mac and Linux
- AirPrint, Mopria
- Near Field Communication
- UHY toner cartridges

Easy to install, they will work seamlessly in virtually any environment. Windows, Mac and even Linux are supported and, to improve access, users can connect using AirPrint, Mopria. And, with WiFi Direct and Near Field Communication (NFC) built in, it has never been easier to join a network. What is more, with their ultra high yield cartridges extending print cycles and reducing costs, these reliable desktop devices offer best-in-class total costs of ownership.



RICOH P C311W / M C251FW

MAIN SPECIFICATIONS

	P C311W	M C251FW
GENERAL		
Configuration		Desktop
Technology	Laser	
Warm-up time	20 seconds	
First output speed: B/W		9.4 seconds
First output speed: full colour		9.8 seconds
Continuous output speed		25 ppm
Memory: standard		256 MB
Memory: maximum		256 MB
SPDF capacity (M C251FW)	-	50 sheets
Outy cycle		65,000
Duplex		Yes
Veight	25 kg	30 kg
Dimensions: W x D x H	400 x 450 x 334 mm	420 x 493 x 473 mm
ower source	220	- 240 V, 50 - 60 Hz
OPIER (M C251FW)		
		Unite 00 agrica
Multiple copying Zoom	- -	Up to 99 copies From 25% to 400% in 1% steps
D card copy	- -	Yes
		103
RINTER		
rinting process	Laser beam scanr	ing, electro-photographic printing
rinter language: standard	PCL5c,	PCL6, PostScript® 3™
Print resolution		2,400 x 600 dpi
Font		CL (80 fonts), PS3 (80 fonts)
Network interface: standard		f, Wireless LAN (IEEE 802.11 a/b/g/n), USB 2.0
Nobile printing capability		e AirPrint, Mopria®
Vindows® environments		Windows® 8.1
		Windows® 10
	Windows® Server 2012	
	Windows® Server 2012R2	
	Windows® Server 2016	
	Wind	lows® Server 2019
Mac OS environments		sh OS X v10.10 - v11
Other supported environments	Li	nux environment
SCANNER (M C251FW)		
scanning: B/W	-	21 ipm
Scanning: full colour	-	12 ipm
Resolution: maximum	-	1,200 dpi
Resolution: standard Bundled drivers	-	600 dpi Network TWAIN
Scan modes	-	E-mail,Folder,USB
		E maii,i diddi,ddb
AX (M C251FW)		
Circuit	-	PSTN
Compatibility	-	ITU-T(T.37) Internet-Fax
Transmission speed	-	3 seconds
Modem speed: maximum	-	33.6 Kbps
nternet fax	-	Standard
AN fax	-	Standard
APER HANDLING		
Recommended paper size	A4, A5, A6, B4, B5	
Paper input: standard	250 sheets	
Paper input: bypass	1 sheets	
Paper input: maximum		751 sheets
aper output: standard	150 sheets	
·	Trays: 60 - 163 g/m²	
Paper weight	Optional tray(s): 60 - 105 g/m²	
		ass: 60 - 163 g/m²
		olex: 60 - 90 g/m²
COLOGY		
	D9\M/ 440\M/ 5::!!! 450\M	D014/ 40014/ E # 1 444//
Power consumption: operation EC*	B&W: 412 W, Full colour: 450 W 0.3 kWh/week	B&W: 422 W, Full colour: 444 W 0.31 kWh/week
	U.S KVIIIWEEK	U.ST KYYI/Week
OUTPUT TRAYS AND FINISHER OPTIONS		
x 500-sheet paper tray		
CONSUMABLES		
	Disale 4 000 min 1 0 4 000	winte Marcanta 4 000 mints Valley 4 000
Starter toner	Black: 1,000 prints, Cyan: 1,000 prints, Magenta: 1,000 prints, Yellow: 1,000 prints	
Foner (black)	6,900 prints	
Toner (cyan)	6,300 prints	
oner (magenta)	6,300 prints	
Γoner (yellow)	6,300 prints	
Consumable yield measuring method ISO/IEC 19798		

RICOH P C311W / M C251FW

MAIN SPECIFICATIONS

P C311W M C251FW

750







Ricoh International B.V.

Prof. W.H. Keesomlaan 1 1183 DJ Amstelveen The Netherlands



+31 (0)20 5474111



